

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A method for automatically translating content comprising the steps of:

invoking an application program in response to an indication from a user of a mobile device to do so;

scanning content generated by the application program to locate ~~translatable content, wherein the translatable content comprises~~ at least one translatable form that requests information from the user;

analyzing the located translatable form ~~content~~ to determine a format supported by the mobile device;

translating the located translatable form ~~content~~ transmitted from the application program from an initial format of the form ~~content~~ to a format supported by the mobile device ~~using the determined translation method~~, the format supported by the mobile device being different than the initial format of the content; and

transmitting the translated form ~~content~~ to the mobile device.

2. (original) The method of claim 1, wherein the initial format of the content is wireless markup language, extensible markup language, or hypertext markup language.

3. (original) The method of claim 2, wherein the format supported by the mobile device is wireless markup language, extensible markup language, or hypertext markup language.

4. (canceled)

5. (currently amended) The method of claim 1, wherein the translating step comprises the steps of:

translating the form ~~content~~ transmitted from the application program from the initial format of the form ~~content~~ to an intermediate format of the form ~~content~~, wherein the intermediate format is different than the initial format; and

translating the intermediate format of the form ~~content~~ to the format supported by the mobile device, wherein the intermediate format is different than the format supported by the mobile device.

6. (original) The method of claim 5, wherein the initial format of the content is wireless markup language, extensible markup language, or hypertext markup language.

7. (original) The method of claim 6, wherein the intermediate format is wireless markup language, extensible markup language, or hypertext markup language.

8. (original) The method of claim 7, wherein the format supported by the mobile device is wireless markup language, extensible markup language, or hypertext markup language.

9. (currently amended) A system for automatically translating content comprising:

a processor operable to execute computer program instructions; and

a memory operable to store computer program instructions executable by the processor, for performing the steps of:

invoking an application program in response to an indication from a user of a mobile device to do so;

scanning content generated by the application program to locate ~~translatable content, wherein the translatable content comprises~~ at least one translatable form that requests information from the user;

analyzing the located translatable form ~~content~~ to determine a format supported by the mobile device;

translating the located translatable form ~~content~~ transmitted from the application program from an initial format of the form ~~content~~ to a format supported by the mobile device ~~using the determined translation method~~, the format supported by the mobile device being different than the initial format of the content; and

transmitting the translated form ~~content~~ to the mobile device.

10. (original) The system of claim 9, wherein the initial format of the content is wireless markup language, extensible markup language, or hypertext markup language.

11. (original) The system of claim 10, wherein the format supported by the mobile device is wireless markup language, extensible markup language, or hypertext markup language.

12. (canceled)

13. (currently amended) The system of claim 9, wherein the translating step comprises the steps of:

translating the form ~~content~~ transmitted from the application program from the initial format of the form ~~content~~ to an intermediate format of the form ~~content~~, wherein the intermediate format is different than the initial format; and

translating the intermediate format of the form ~~content~~ to the format supported by the mobile device, wherein the intermediate format is different than the format supported by the mobile device.

14. (original) The system of claim 13, wherein the initial format of the content is wireless markup language, extensible markup language, or hypertext markup language.

15. (original) The system of claim 14, wherein the intermediate format is wireless markup language, extensible markup language, or hypertext markup language.

16. (original) The system of claim 15, wherein the format supported by the mobile device is wireless markup language, extensible markup language, or hypertext markup language.

17. (currently amended) A computer program product for automatically translating content comprising:

a computer readable medium;

computer program instructions, recorded on the computer readable medium, executable by a processor, for performing the steps of

invoking an application program in response to an indication from a user of a mobile device to do so;

scanning content generated by the application program to locate ~~translatable content, wherein the translatable content comprises~~ at least one translatable form that requests information from the user;

analyzing the located translatable form ~~content~~ to determine a format supported by the mobile device;

translating the located translatable form ~~content~~ transmitted from the application program from an initial format of the form ~~content~~ to a format supported by the mobile device ~~using the determined translation method~~, the format supported by the mobile device being different than the initial format of the content; and

transmitting the translated form ~~content~~ to the mobile device.

18. (original) The computer program product of claim 17, wherein the initial format of the content is wireless markup language, extensible markup language, or hypertext markup language.

19. (original) The computer program product of claim 18, wherein the format supported by the mobile device is wireless markup language, extensible markup language, or hypertext markup language.

20. (canceled)

21. (currently amended) The computer program product of claim 17, wherein the translating step comprises the steps of:

translating the form ~~content~~ transmitted from the application program from the initial format of the form ~~content~~ to an intermediate format of the content, wherein the intermediate format is different than the initial format; and

translating the intermediate format of the form ~~content~~ to the format supported by the mobile device, wherein the intermediate format is different than the format supported by the mobile device.

22. (original) The computer program product of claim 21, wherein the initial format of the content is wireless markup language, extensible markup language, or hypertext markup language.

23. (original) The computer program product of claim 22, wherein the intermediate format is wireless markup language, extensible markup language, or hypertext markup language.

24. (original) The computer program product of claim 23, wherein the format supported by the mobile device is wireless markup language, extensible markup language, or hypertext markup language.

25. (previously presented) The method of claim 1, wherein the form is filled-in with information relating to the user before being translated.

26. (previously presented) The system of claim 9, wherein the form is filled-in with information relating to the user before being translated.

27. (previously presented) The computer program product of claim 17, wherein the form is filled-in with information relating to the user before being translated.